



CERTIFICATE OF ANALYSIS

PRODUCT NAME : SODIUM SILICATE SOLUTION

CAS No : 1344- 09- 8 Product code : 18781
Date of analysis : 21/03/23 Batch No : MCR-27934
Mfd. : March 2023 Exp. : Feb. 2028

S.R	Test	Specification	Observation
1	Description	Almost colourless, slightly opaque viscous, tacky liquid.	Slightly opaque viscous, tacky liquid.
2	Assay (as Na ₂ O)	7.5 – 10%	9.21%
3	Assay (as SiO ₂)	25 – 28%	27.18%
4	Wt. per ml at 20 ⁰ C	1.296 – 1.396g	1.299 g

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

CHEMIST
(Priyanka)

HEAD-QUALITY ASSURANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503