



CERTIFICATE OF ANALYSIS

PRODUCT NAME : TRYPSIN U/G 2000

CAS No : 9002-07-7

Date of analysis : 25/03/23

Mfd. : March 2023

Product code : 19640

Batch No. : MCR-27966

Exp. : Feb. 2028

S.R	Test	Specification	Observation
1	Description	White powder	White powder
2	Solubility in water	min 98.0%	>98.60%
3	Loss on drying	max 5.0%	1.80%
4	Pathogenic germs	Absent	Absent
5	Salmonella	Absent	Absent
6	Escherichia	Absent	Absent
7	Pseudomonas aeruginosa	Absent	Absent
8	Staphylococcus aureus	Absent	Absent

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

**CHEMIST
(Deepa)**

**HEAD-QUALITY ASSURANCE
(G.G.Salian)**

Note: Computer generated image requires no sign.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503**