



## CERTIFICATE OF ANALYSIS

**PRODUCT NAME : SODIUM HYPOCHLORITE SOLUTION**

**CAS No : 7681-52-9                      Product code : 32190**  
**Mol. Formula : NaClO                      Batch No. : MCR-28166**  
**Mol. WT : 74.4                              Mfd. : April 2023**  
**Date of Analysis : 25/04/23                      Exp. : March 2024**

S.R	Test	Specification	Observation
1	<b>Description</b>	Clear pale yellow liquid with distinct smell of chlorine.	Clear pale yellow liquid with distinct smell of chlorine.
2	<b>Available chlorine</b>	Approximately 4 – 6%	5.80%

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

**[Tested By]**

**[QC Incharge]**

**CHEMIST**  
**(Sayali)**

**HEAD-QUALITY ASSURANCE**  
**(G.G.Salian)**

**Note:** Computer generated image requires no sign.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**  
**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**  
**Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,**  
**Kulgaon, Badlapur (E), Dist.-Thane-421 503**