



CERTIFICATE OF ANALYSIS

PRODUCT NAME : SODIUM OXALATE LR

CAS No : 62-76-0 **Product code** : 18680
Mol. Formula : (COONa)₂ **Batch No** : MCR- 12430-03
Mol. WT : 134.00 **Mfd.** : May 2023
Date of analysis : 09/05/23 **Exp.** : April 2028

S.R	Test	Specification	Observation
1	Assay (after drying)	99.5% min	99.86 %
2	Chloride (Cl)	0.005% max	<0.005%
3	Sulphate (SO ₄)	0.03% max	<0.03%
4	Iron (Fe)	0.005% max	<0.005
5	Potassium (K)	0.02% max	<0.02%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

CHEMIST
(Deepa)

HEAD-QUALITY ASSURANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No.B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503