



CERTIFICATE OF ANALYSIS

PRODUCT NAME : FLUORESCEIN

CAS No : 2321-07-5
Mol. Formula : $C_{20}H_{12}O_5$
Mol. WT : 332.31
Date of analysis : 09/05/23

Product code : 31730
Batch No : MCR-14441-02
Mfd. : May 2023
Exp. : April 2028

S. R	Test	Specification	Observation
1	Description	Orange red , brown , maroon or red coloured powder	Maroon coloured powder.
2	Assay (on dried substance)	98% min	98.13%
3	Loss on drying (105°C)	1 % max	0.9%
4	Absorptivity, 1%/1cm, at λ max 490 nm (in 0.1 N NaOH)	2200 - 2500	2487.33

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

CHEMIST
(Deepa)

HEAD-QUALITY ASSURANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503