



## CERTIFICATE OF ANALYSIS

**PRODUCT NAME : CELLULOSE ACETATE**

**CAS No : 9004- 35- 7**

**Mfd. : May 2023**

**Date of analysis : 11/05/23**

**Product code : 13518**

**Batch No. : MCR/P-5615-04**

**Exp. : April 2028**

<b>S. R</b>	<b>Test</b>	<b>Specification</b>	<b>Observation</b>
<b>1</b>	<b>Description</b>	White, yellowish-white or grayish–white powder or granules.	White powder.
<b>2</b>	<b>Acetic acid content</b>	53.5 - 56%	53.8%

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

**[Tested By]**

**CHEMIST  
(Deepa)**

**[QC Incharge]**

**HEAD-QUALITY ASSURANCE  
(G.G.Salian)**

**Note:** Computer generated image requires no sign.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**

**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**

**Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503**