



CERTIFICATE OF ANALYSIS

PRODUCT NAME : ANTIMONY TRICHLORIDE AR

CAS No : 10025- 91- 9

Mol. Formula : SbCl₃

Mol. WT : 228.11

Date of analysis : 14/05/23

Product code : 21840

Batch No. : MCRT-24616-01

Mfd. : May 2023

Exp. : April 2028

S. R	Test	Specification	Observation
1	Description	White or Colourless crystals or crystalline powder or flakes fuming in moist air.	White crystalline powder
2	Assay	99.0 % min	99.93%
3	Substances insoluble in Chloroform	0.02% max	0.01%
4	Substances insoluble in hydrochloric acid	0.005% max	0.003%
5	Arsenic (As)	0.0005% max	<0.0005%
6	Lead (Pb)	0.003% max	<0.003%
7	Iron (Fe)	0.002% max	<0.002%
8	Copper (Cu)	0.0005% max	<0.0005%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

**CHEMIST
(Ketaki)**

[QC Incharge]

**HEAD-QUALITY ASSURANCE
(G.G.Salian)**

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
**Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503**