



## CERTIFICATE OF ANALYSIS

**PRODUCT NAME : SODIUM SELENATE AR ANHYDROUS**

**CAS No : 13410-01-0**                      **Product code : 26080**  
**Mol. Formula : Na<sub>2</sub>SeO<sub>4</sub>**                      **Batch No : MCR-28443**  
**Mol. WT : 189.09**                      **Mfd. : June 2023**  
**Date of analysis : 03/06/23**                      **Exp. : May 2028**

S.R	Test	Specification	Observation
1	<b>Description</b>	White to off white powder.	White powder
2	<b>Assay</b>	99.0% w/w min	99.43% w/w
3	<b>Water - insoluble matter</b>	0.003% max	0.001%
4	<b>Chloride (Cl)</b>	0.0005% max	< 0.0005%
5	<b>Selenite (SeO<sub>3</sub>)</b>	1% max	< 1%
7	<b>Sulphate (SO<sub>4</sub>)</b>	0.02% max	< 0.02%

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

**[Tested By]**

**[QC Incharge]**

**CHEMIST  
(Priyanka)**

**HEAD-QUALITY ASSURANCE  
(G.G.Salian)**

**Note:** Computer generated image requires no sign.