CERTIFICATE OF ANALYSIS

PRODUCT NAME : CHROMOTROPIC ACID DISODIUM SALT AR

CAS No	**: 5808-22-0**	**Product code**	**: 22645**
Mol. Formula	**: $C_{10}H_6Na_2O_8S_2.2H_2O$**	**Batch No**	**: MCRT-27667**
Mol. WT	**: 400.29**	**Mfd.**	**: Feb. 2023**
Date of analysis	**: 15/02/23**	**Exp.**	**: Jan. 2028**

S. R	Test	Specification	Observation
1	**Description**	Greyish white to greyish brown or brown coloured powder.	Greyish brown coloured powder
2	**Assay**	98.5% min.	98.72%
3	**Sensitivity to Nitrate**	Passes test	Passes test
4	**Sensitivity to Formaldehyde**	Passes test	Passes test
5	**Sulphated ash**	35 – 36%	35.28%
6	**Sulphate (SO_4)**	0.002% max	<0.002%
7	**Water (Karl fischer)**	8.5 – 9.5%	8.62%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By] **[QC Incharge]**

CHEMIST
(Jyoti)

HEAD-QUALITY ASSURANCE
(G.G.Salian)

Note: Computer generated image requires no sign

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503