



## **CERTIFICATE OF ANALYSIS**

**PRODUCT NAME : MOLYCLEAN MA 03 PHOSPHATE FREE**

**Date of analysis : 02/07/23**  
**Mfd. : July 2023**  
**Exp. : June 2028**

**Product code : 16384**  
**Batch No. : MCR 28671**

S.R	Test	Specification	Observation
1	<b>Description</b>	A Clear colourless to slightly opale solution	A colourless slightly opale solution.
2	<b>Density(d20<sup>0</sup>/4<sup>0</sup>)</b>	1.058-1.066g	1.063g
3	<b>Free Alkali (as NaOH)</b>	1.5 - 2.5%	2.4%
4	<b>Phosphate(PO<sub>4</sub>)</b>	NMT 0.002%	0.001%
5	<b>Nitrilotriacetic acid trisodium salt</b>	6.5 - 8.5%	7.43%
6	<b>pH (1% w/v aq.solution)</b>	about 11	11

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

**[Tested By]**

**[QC Incharge]**

**CHEMIST**  
**(Priyanka)**

**HEAD-QUALITY ASSURANCE**  
**(G.G.Salian)**

**Note:** Computer generated image requires no sign.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**  
**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**  
**Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,**  
**Kulgaon, Badlapur (E), Dist.-Thane-421 503**