



CERTIFICATE OF ANALYSIS

PRODUCT NAME : MINTROLEUM AR

CAS No : 110-54-3
Mol. Formula : C₆H₁₄
Mol. WT : 86.18
Date of analysis : 05/08/23

Product code : 24290
Batch No. : MCRT-28962
Mfd. : Aug. 2023
Exp. : July 2028

| S.R | Test | Specification | Observation |
|-----|--|---|--|
| 1 | Description | A clear, colourless liquid. APHA not greater than 10 HU | A clear, colourless liquid. APHA not less than 10 HU |
| 2 | Assay | 85.0 % min | 99.92% |
| 3 | Wt. per ml (at 20^oc) | 0.660-0.680 g | 0.668g |
| 4 | Non volatile matter | 0.001 % max | 0.0008% |
| 5 | Acidity | 0.01ml N% max | <0.01ml N% |
| 6 | Alkalinity | 0.01ml N% max | <0.01ml N% |

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

CHEMIST
(Deepa)

HEAD-QUALITY ASSURANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaoon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015•ISO 14001: 2015•BS OHSAS 18001: 2007•WHO-GMP Certified•NSIC Registered•MSME Registered•CAA Registered