



CERTIFICATE OF ANALYSIS

PRODUCT NAME : KARL FISCHER REAGENT PYRIDINE FREE

Date of analysis : 01/08/2023
Mfd. : Aug. 2023
Exp. : July 2026

Product code : 31850
Batch No : MCM-5538-02

S.R	Test	Specification	Observation
1	Description	Dark reddish brown solution.	Dark reddish brown solution.
2	Effective Factor	NLT 5 mg H ₂ O/ml	5.60 mg H ₂ O/ml
3	Dilution test (5ml subst. + 5 ml water)	The solution is clear and yellow coloured	The solution is clear and yellow coloured
4	Dilution test (5ml subst. + 20 ml water)	The solution is clear and yellow coloured	The solution is clear and yellow coloured

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

CHEMIST
(Sonu)

HEAD-QUALITY ASSURANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.