



CERTIFICATE OF ANALYSIS

PRODUCT NAME : SODIUM SELENITE (ANHYDROUS) AR

CAS No : 10102-18-8
Mol. Formula : Na₂SeO₃
Mol. WT : 173.01
Date of analysis : 26/08/23

Product code : 26090
Batch No : MCRT-29158
Mfd. : Aug. 2023
Exp. : July 2028

S.R	Test	Specification	Observation
1	Description	White to almost white crystalline powder or crystals.	White powder.
2	Assay	99% w/w min	99.17% w/w
3	Chloride (Cl)	0.005% max	< 0.005%
4	Sulphate and Selenate (as SO₄)	0.05% max	< 0.05%
5	Nitrogen compounds (N)	0.005% max	< 0.005%
6	Iron (Fe)	0.001% max	< 0.001%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

**CHEMIST
(Deepa)**

**HEAD-QUALITY ASSURANCE
(G.G.Salian)**

Note: Computer generated image requires no sign.

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015•ISO 14001: 2015•BS OHSAS 18001: 2007•WHO-GMP Certified•NSIC Registered•MSME Registered•CAA Registered