



CERTIFICATE OF ANALYSIS

PRODUCT NAME : Di – iso – PROPYL ETHER

CAS No : 108-20-3
Mol. Formula : C₆H₁₄O
Mol. WT : 102.18
Date of Analysis : 24/08/23

Product code : 60100
Batch No : MCR-23751-02
Mfd. : Aug. 2023
Exp. : July 2028

S. R	Test	Specification	Observation
1	Description	A clear colourless liquid with a characteristic odour.	A clear colourless liquid with a characteristic odour.
2	Assay (GC)	98 % min	99.91%
3	Wt. per ml (at 20 ⁰ c)	0.720- 0.725g	0.722g
4	Refractive index (n) ²⁰ _D	1.367 – 1.369	1.368
5	Water	0.1 % max	0.013%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

CHEMIST
(Ruchi)

HEAD-QUALITY ASSURANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015•ISO 14001: 2015•BS OHSAS 18001: 2007•WHO-GMP Certified•NSIC Registered•MSME Registered•CAA Registered