



CERTIFICATE OF ANALYSIS

PRODUCT NAME : FLORISIL ® 60 – 100 MESH FOR COLUMN CHROMATOGRAPHY

CAS No : 1343-88-0
Date of analysis : 04/09/23
Mfd. : Sept. 2023

Product code : 52380
Batch No : MCR-17499-03
Exp. : April 2026

S. R	Test	Specification	Observation
1	Description	White to almost white powder.	white powder.
2	pH (5% slurry in water)	9 - 11	9.48
3	Particle size (60 – 100 mesh)	90% min.	98.50%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

CHEMIST
(Ruchi)

HEAD-QUALITY ASSURANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.