



CERTIFICATE OF ANALYSIS

PRODUCT NAME : OSMIC ACID SOLUTION 2%W/V

CAS No : 20816-12-0
Date of analysis : 21/09/23
Mfd. : Sept. 2023

Product code : 16670
Batch No. : MCM-5789
Exp. : Aug. 2026

S. R	Test	Specification	Observation
1	Description	A clear pale yellow coloured solution	A clear pale yellow coloured solution
2	Assay (as OsO ₄)	1.95 – 2.1%	1.98%
3	Suitability for staining	Passes test	Passes test

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

CHEMIST
(Ruchi)

HEAD-QUALITY ASSURANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.