



CERTIFICATE OF ANALYSIS

PRODUCT NAME : COCKTAIL SCINTILLATION GRADE (1,4,-DIOXAN)

CAS No : 123-91-1
Date of Analysis : 18/09/23
Mfd. : Sept. 2023

Product code : 23072
Batch No. : MCM-5780
Exp. : Aug. 2026

S.R	Test	Specification	Observation
1	1,4 Dioxane , Napthalene, PPO , POPOP.	Should passes Scintillation Grade.	Passes Scintillation Grade.
2	Clarity of solution	Clear	Clear
3	Maximum Absorbance (1 cm cell Vs H ₂ O)		
	400 nm	0.3	0.160
	420 nm	0.08	0.003
	450 nm	0.03	0.001

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

CHEMIST
(Asmita)

HEAD-QUALITY ASSURANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015•ISO 14001: 2015•BS OHSAS 18001: 2007•WHO-GMP Certified•NSIC Registered•MSME Registered•CAA Registered