



CERTIFICATE OF ANALYSIS

PRODUCT NAME : WATER DISTILLED

CAS No : 7732-18-5

Mol. Formula : H₂O

Mol. WT : 18

Date of analysis : 26/09/23

Product code : 32229

Batch No : MCM-5792

Mfd. : Sept. 2023

Exp. : Aug. 2026

S. R	Test	Specification	Observation
1	Description	Clear colourless liquid	Clear colourless liquid
2	pH	5.5 – 7	6.82
3	Density	About 1.000	1.000
4	Chloride (Cl)	0.0001% max.	< 0.0001%
5	Substance reducing KMnO₄	0.00004% max.	< 0.00004%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

**CHEMIST
(Sonu)**

**HEAD-QUALITY ASSURANCE
(G.G.Salian)**

Note: Computer generated image requires no sign.

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015•ISO 14001: 2015•BS OHSAS 18001: 2007•WHO-GMP Certified•NSIC Registered•MSME Registered•CAA Registered