



CERTIFICATE OF ANALYSIS

PRODUCT NAME : 1,4-DIOXAN AR

CAS No : 123-91-1
Mol. Formula : C₄H₈O₂
Mol. WT : 88.11
Date of Analysis : 07/10/23

Product code : 23070
Batch No : MCRT-29451
Mfd. : Oct. 2023
Exp. : Sept. 2028

S.R	Test	Specification	Observation
1	Description	A clear colourless liquid with a characteristic odour.	A clear colourless liquid with a characteristic odour.
2	Assay (GC)	99.0% min	99.75%
3	Wt. per ml at 20°C	1.032-1.034g	1.033g
4	Freezing point	Not below 11.5°C	11.8°C
5	Refractive index n _D ²⁰	1.421-1.423	1.422
6	Water	0.05% max	0.04%
7	Acidity (CH ₃ COOH)	0.02% max	< 0.02%
8	Non-volatile matter	0.01% max	0.008%
9	Acetal [CH ₃ CH(OC ₂ H ₅) ₂]	0.8% max	< 0.8%
10	Copper (Cu)	0.0001% max	< 0.0001%
11	Iron (Fe)	0.0001% max	< 0.0001%
12	Lead (Pb)	0.0001% max	< 0.0001%
13	Peroxide (as H ₂ O ₂)	0.005% max	< 0.005%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

CHEMIST
(Asmita)

HEAD-QUALITY ASSURANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015•ISO 14001: 2015•BS OHSAS 18001: 2007•WHO-GMP Certified•NSIC Registered•MSME Registered•CAA Registered