



## CERTIFICATE OF ANALYSIS

**PRODUCT NAME : CALCIUM OXIDE LR (POWDER)**

**CAS No : 1305-78-8**

**Mol. Formula : CaO**

**Mol. WT : 56.08**

**Date of analysis : 12/10/23**

**Product code : 13280**

**Batch No : MCR-29490**

**Mfd. : Oct. 2023**

**Exp. : Sept. 2028**

S.R	Test	Specification	Observation
1	<b>Description</b>	White to almost white powder.	Almost white powder.
2	<b>Assay</b>	90% min	91.26%
3	<b>Chloride (Cl)</b>	0.02% max	<0.02%
4	<b>Loss on ignition (800<sup>o</sup>C)</b>	10% max	4.82%

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

**[Tested By]**

**CHEMIST  
(Priyanka)**

**[QC Incharge]**

**HEAD-QUALITY ASSURANCE  
(G.G.Salian)**

**Note:** Computer generated image requires no sign.

**MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)**

**Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)**

**Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)**

**Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.**