



CERTIFICATE OF ANALYSIS

PRODUCT NAME : UREA GRANULAR LR

CAS No : 57-13-6
Mol. Formula : NH₂.CO.NH₂
Mol. WT : 60.06
Date of analysis : 25/09/23

Product code : 19810
Batch No. : MCR-29359
Mfd. : Sept. 2023
Exp. : Aug. 2028

S.R	Test	Specification	Observation
1	Description	White granules.	White granules.
2	Assay	99% min	99.67%
3	Melting point	131-134 ⁰ C	132.2 ⁰ C
4	Sulphated ash	0.1% max	0.01%
5	Chloride (Cl)	0.002% max	<0.002%
6	Sulphate(SO₄)	0.05% max	<0.05%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

CHEMIST
(Priyanka)

HEAD-QUALITY ASSURANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015•ISO 14001: 2015•BS OHSAS 18001: 2007•WHO-GMP Certified•NSIC Registered•MSME Registered•CAA Registered