



CERTIFICATE OF ANALYSIS

PRODUCT NAME : SODIUM SELENATE AR ANHYDROUS

CAS No	: 13410-01-0	Product code	: 26080
Mol. Formula	: Na₂SeO₄	Batch No	: MCR-29551
Mol. WT	: 189.09	Mfd.	: Oct. 2023
Date of analysis	: 19/10/23	Exp.	: Sept. 2028

S.R	Test	Specification	Observation
1	Description	White to off white or crystalline powder.	White crystalline powder.
2	Assay	99.0% w/w min	99.46% w/w
3	Water - insoluble matter	0.003% max	0.001%
4	Chloride (Cl)	0.0005% max	< 0.0005%
5	Selenite (SeO₃)	1% max	< 1%
7	Sulphate (SO₄)	0.02% max	< 0.02%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

**CHEMIST
(Asmita)**

**HEAD-QUALITY ASSURANCE
(G.G.Salian)**

Note: Computer generated image requires no sign.

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaoon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015•ISO 14001: 2015•BS OHSAS 18001: 2007•WHO-GMP Certified•NSIC Registered•MSME Registered•CAA Registered