

CERTIFICATE OF ANALYSIS

PRODUCT NAME : TRYPSIN U/G 2000

CAS No : 9002-07-7

Date of analysis : 20/10/23

Mfd. : Oct. 2023

Product code : 19640

Batch No. : MCR-29556

Exp. : Sept. 2028

S.R	Test	Specification	Observation
1	Description	White powder	White powder
2	Solubility in water	min 98.0%	98.59%
3	Loss on drying	max 5.0%	4.12%
4	Pathogenic germs	Absent	Absent
5	Salmonella	Absent	Absent
6	Escherichia	Absent	Absent
7	Pseudomonas aeruginosa	Absent	Absent
8	Staphylococcus aureus	Absent	Absent

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

**CHEMIST
(Asmita)**

**HEAD-QUALITY ASSURANCE
(G.G.Salian)**

Note: Computer generated image requires no sign.

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.