



CERTIFICATE OF ANALYSIS

**PRODUCT NAME : TETRA BUTYL AMMONIUM HYDROXIDE
0.1 NORMAL IN IPA**

Date of analysis : 27/10/23
Mfd. : Oct. 2023
Exp. : Sept. 2028

Product code : 19329
Batch No : MCR-29587

S.R	Test	Specification	Observation
1	Description	A clear colourless to pale yellow opale solution.	Pale yellow opale solution.
2	Normality	0.0995-0.1005 N	0.1001 N

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

CHEMIST
(Priyanka)

HEAD-QUALITY ASSURANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015•ISO 14001: 2015•BS OHSAS 18001: 2007•WHO-GMP Certified•NSIC Registered•MSME Registered•CAA Registered