

CERTIFICATE OF ANALYSIS

PRODUCT NAME : YEAST EXTRACT GRANULAR

CAS No : 8013- 01- 2

Date of analysis : 28/10/23

Mfd. : Oct. 2023

Product code : 19902

Batch No : MCR-20767-01

Exp. : Sept. 2028

S.R	Test	Specification	Observation
1	Description	Brownish yellow granular, with characteristic odour.	Brownish yellow granular, with characteristic odour.
2	Nitrogen content (on dry basis)	10% min	11.1%
3	pH 2%w/v aqueous solution	4.5 min	5.42
4	Sulphated ash	15% max	8.61%
5	Loss on drying at 105°C	5% max	2.63%
6	Coagulated protein	Passes test	Passes test
7	Suitability for Bact. Test	Passes test	Passes test

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

**CHEMIST
(Ruchi)**

**HEAD-QUALITY ASSURANCE
(G.G.Salian)**

Note: Computer generated image requires no sign.

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.