



CERTIFICATE OF ANALYSIS

PRODUCT NAME : n-BUTYLAMINE 98%

CAS No : 109-73-9
Mol. Formula : C₄H₁₁N
Mol. WT : 73.14
Date of analysis : 18/01/23

Product code : 60015
Batch No : MCRT-7920-06
Mfd. : Jan. 2023
Exp. : Dec.2027

S. R	Test	Specification	Observation
1	Description	A Clear colourless liquid. APHA not greater than 10 HU.	A Clear colourless liquid. APHA less than 10 HU.
2	Assay (GC)	98% min	99.82%
3	Wt.per ml (at 20 ⁰ c)	0.736-0740 g	0.738 g
4	Refractive index 20°C	1.401-1.405	1.403
5	Water	0.5% max	0.11%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

CHEMIST
(Sonu)

[QC Incharge]

HEAD-QUALITY ASSURANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015•ISO 14001: 2015•BS OHSAS 18001: 2007•WHO-GMP Certified•NSIC Registered•MSME Registered•CAA Registered