



## CERTIFICATE OF ANALYSIS

Date: 27/04/16

PRODUCT NAME : TRICHLOROETHYLENE PURIFIED 99%

|              |                         |              |              |
|--------------|-------------------------|--------------|--------------|
| CAS No       | : 79-01-6               | Product code | : 19605      |
| Mol. Formula | : CHCl:CCl <sub>2</sub> | Batch No.    | : MCR- 11606 |
| Mol. WT      | : 131.39                | Mfd.         | : April 2016 |
| Exp.         | : March 2021            |              |              |

| S. R | Test                              | Specification  | Observation  |
|------|-----------------------------------|----------------|--------------|
| 1    | Assay (GC)                        | 99 % min       | 99.41%       |
| 2    | Wt. per ml (at 20 <sup>0</sup> c) | 1.462-1.466g   | 1.465g       |
| 3    | Acidity                           | 0.2ml N/1% max | < 0.2ml N/1% |
| 4    | Non volatile matter               | 0.004% max     | 0.002%       |
| 5    | Free chlorine(Cl)                 | 0.001% max     | < 0.001%     |

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE  
(G.G.Salian)

**Note:** Computer generated image requires no sign.