



## CERTIFICATE OF ANALYSIS

Date: 14/04/16

PRODUCT NAME : TOLUENE RECTIFIED (SULPHUR FREE)

CAS No	: 108-88-3	Product code	: 19560
Mol. Formula	: C <sub>7</sub> H <sub>8</sub>	Batch No	: MCR-11513
Mol. WT	: 92.14	Mfd.	: April 2016
Exp.	: March 2021		

S. R	Test	Specification	Observation
1	Assay (GC)	99 % min	99.92%
2	Refractive index at 20 <sup>0</sup> C	1.493-1.497	1.495
3	Wt. per ml at 20 <sup>0</sup> C	0.860-0.867 g	0.861g
4	Sulphur compound(CS <sub>2</sub> )	0.0005% max	<0.0005%
5	Non volatile matter	0.005 % max	0.002 %
6	Water(by KF)	0.1 % max	0.0084%

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE  
(G.G.Salian)

**Note:** Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)  
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)  
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503