



CERTIFICATE OF ANALYSIS

Date: 25/05/16

PRODUCT NAME : PEPTONE BACTERIOLOGICAL

CAS No : 91079- 38-8
Mfd. : May 2016
Exp. : April 2021

Product code : 16740
Batch No : MCR-11726

S. R	Test	Specification	Observation
1	Nitrogen content (on dry basis)	14.2 – 15.5%	14.75%
2	Degree of digestion	Passes test	Passes test
3	Loss on drying at 100^o C	5% max	1.96%
4	Sulphated ash	5% max	2.53%
5	Microbial content	Passes test	Passes test
6	Bacteriological Test	Passes test	Passes test
7	Indole Test	Passes test	Passes test

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503