



## CERTIFICATE OF ANALYSIS

**PRODUCT NAME : TRICHLOROACETIC ACID AR 10% W/V**

**CAS No : 76-03-9**

**Product code : 26761**

**Date of analysis : 21/11/23**

**Batch No : MCM-5920**

**Mfd. : Nov. 2023**

**Exp. : Oct. 2028**

S. R	Test	Specification	Observation
1	Description	A Clear colorless liquid.	A Clear colorless liquid.
2	Trichloroacetic acid content	9.5 – 10.5 %	10.13%

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

**[Tested By]**

**[QC Incharge]**

**CHEMIST  
(Deepa)**

**HEAD-QUALITY ASSURANCE  
(G.G.Salian)**

**Note:** Computer generated image requires no sign.

**MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)**

**Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)**

**Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)**

**Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.**