



CERTIFICATE OF ANALYSIS

PRODUCT NAME : CHLOROFORM LR

CAS No : 67-66-3
Mol. Formula : CHCl₃
Mol. WT : 119.38
Date of analysis : 02/12/23

Product code : 13620
Batch No : MCR-29815
Mfd. : Dec. 2023
Exp. : Nov. 2028

S.R	Test	Specification	Observation
1	Description	A clear colourless liquid with a characteristic odour. APHA not greater than 10 HU.	A clear colourless liquid with a characteristic odour. APHA less than 10 HU.
2	Assay (GC)	99.5 % min	99.96%
3	Wt.per ml (at 20 ⁰ c)	1.474-1.480 g	1.478 g
4	Acidity	0.1 ml N/1 % max	< 0.1 ml N/1 %
5	Water	0.1% max	0.007%
6	Non Volatile matter	0.002 % max	0.0003%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

CHEMIST
(Jyoti)

HEAD-QUALITY ASSURANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015•ISO 14001: 2015•BS OHSAS 18001: 2007•WHO-GMP Certified•NSIC Registered•MSME Registered•CAA Registered