



CERTIFICATE OF ANALYSIS

PRODUCT NAME : ACETYL CHLORIDE LR

CAS No : 75-36-5
Mol. Formula : CH₃COCl
Mol. WT : 78.50
Date of analysis : 15/12/23

Product code : 11075
Batch No. : MCR-29950
Mfd. : Dec. 2023
Exp. : Nov. 2028

S.R	Test	Specification	Observation
1	Description	A clear colourless liquid or not more than slightly yellow.	A clear colourless liquid.
2	Assay (ex Cl)	98 - 102%	99.57%
3	Wt. per ml at 20°C	1.09 – 1.11g	1.09g
4	Non volatile matter	0.05 % max	0.01%
5	Sulphate (SO ₄)	0.01 % max	< 0.01%
6	Phosphorous (P)	0.005 % max	< 0.005%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

CHEMIST
(Sonu)

HEAD-QUALITY ASSURANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015•ISO 14001: 2015•BS OHSAS 18001: 2007•WHO-GMP Certified•NSIC Registered•MSME Registered•CAA Registered