



CERTIFICATE OF ANALYSIS

Date: 24/01/13

PRODUCT NAME : METHYL ORANGE INDICATOR

CAS No : 547- 58- 0
Mol. Formula : $C_{14}H_{14}N_3NaO_3S$
Mol. WT : 327.33

Product code : 31960
Batch No : MCR- 6251
Mfd . : Jan. 2013

S. R	Test	Specification	Observation
1	Transition interval from pH 2.8 – 4.6	orange red to orange yellow	orange red to orange yellow
2	Specific Absorptivity A 1%/1cm λ_{max} at 501 to 504 nm in pH buffer 3.1	880 - 1150	976.5
3	Specific Absorptivity A 1%/1cm λ_{max} at 467 to 471 nm in pH buffer 4.4	640 – 850	819.6
4	Loss on drying at 105° C	max. 5%	2.19%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No./9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503