



## CERTIFICATE OF ANALYSIS

**PRODUCT NAME : BIURET AR**

**CAS No : 108-19-0**  
**Mol. Formula : C<sub>2</sub>H<sub>5</sub>N<sub>3</sub>O<sub>2</sub>**  
**Mol. WT : 103.08**  
**Date of analysis : 26/12/23**

**Product code : 22350**  
**Batch No. : MCR-30022**  
**Mfd. : Dec. 2023**  
**Exp. : Nov. 2028**

S.R	Test	Specification	Observation
1	<b>Description</b>	White to off white powder or crystalline powder.	White powder.
2	<b>Assay (ex N)</b>	96% min	98.60%
3	<b>Loss on Drying</b>	2.0% max.	1.98%
4	<b>Melting point</b>	190 - 194 <sup>0</sup> C	194.2 <sup>0</sup> C

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

**[Tested By]**

**[QC Incharge]**

**CHEMIST  
(Sonu)**

**HEAD-QUALITY ASSURANCE  
(G.G.Salian)**

**Note:** Computer generated image requires no sign.

**MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)**

**Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)**

**Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)**

**Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.**

**•ISO 9001:2015•ISO 14001: 2015•BS OHSAS 18001: 2007•WHO-GMP Certified•NSIC Registered•MSME Registered•CAA Registered**