



CERTIFICATE OF ANALYSIS

PRODUCT NAME : PEPTONE BACTERIOLOGICAL

CAS No : 91079- 38-8

Date of analysis : 29/12/23

Mfd. : Dec. 2023

Product code : 16740

Batch No : MCR-30050

Exp. : Nov. 2028

S.R	Test	Specification	Observation
1	Description	Pale yellow to light brown powder with characteristics meat like odour.	Pale yellow powder with characteristics meat like odour.
2	Nitrogen content (on dry basis)	14.2 – 15.5%	15.2%
3	Degree of digestion	Passes test	Passes test
4	Loss on drying at 100° C	5% max	1.43%
5	Sulphated ash	5% max	2.20%
6	Microbial content	Passes test	Passes test
7	Bacteriological Test	Passes test	Passes test
8	Indole Test	Passes test	Passes test

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

**CHEMIST
(Durvas)**

**HEAD-QUALITY ASSURANCE
(G.G.Salian)**

Note: Computer generated image requires no sign.

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015•ISO 14001: 2015•BS OHSAS 18001: 2007•WHO-GMP Certified•NSIC Registered•MSME Registered•CAA Registered