



## CERTIFICATE OF ANALYSIS

**PRODUCT NAME : FEHLING'S SOLUTION NO. 2**

**Date of analysis : 02/01/24**  
**Mfd. : Jan. 2024**  
**Exp. : Dec. 2026**

**Product code : 14380**  
**Batch No. : MCM-5998**

S. R	Test	Specification	Observation
1	Description	Clear colourless solution	Clear colourless solution
2	Assay (as NaOH)	15.2 – 15.6%w/v	15.56%w/v
3	Sensitivity	Passes test	Passes test

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

**[Tested By]**

**CHEMIST**  
**(Asmita)**

**[QC Incharge]**

**HEAD-QUALITY ASSURANCE**  
**(G.G.Salian)**

**Note:** Computer generated image requires no sign.

**MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)**

**Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)**

**Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)**

**Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.**