



CERTIFICATE OF ANALYSIS

PRODUCT NAME : CHLOROFORM HPLC

CAS No : 67-66-3
Mol. Formula : CHCl_3
Mol. WT : 119.38
Date of analysis : 14/06/23

Product code : 41050
Batch No : MCM-5593
Mfd. : June 2023
Exp. : May 2028

S.R	Test	Specification	Observation
1	Description	A clear colourless liquid with a characteristic odour. APHA not greater than 10 HU	A clear colourless liquid with a characteristic odour. APHA less than 10 HU
2	Assay (GC)	99.8 % min	99.94%
3	Wt. per ml (at 20⁰c)	1.474-1.479 g	1.478g
4	Water(by KF)	0.05% max	0.013%
5	Acidity(HCl)	0.0005%max	< 0.0005 %
6	Non Volatile matter	0.0005 % max	0.0002%
7	Minimum transmission (1.0 cm cell vs H₂O)		
	250 nm	20% min	46.1%
	260 nm	60% min	87.4%
	270 nm	85% min	96.4%
	280 nm	92% min	98.0%
	290 nm	95% min	98.9%
	300 nm	97% min	99.6%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

CHEMIST
(Priti)

HEAD-QUALITY ASSURANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • **Email:** info@molychem.net • **Web:** www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015•ISO 14001: 2015•BS OHSAS 18001: 2007•WHO-GMP Certified•NSIC Registered•MSME Registered•CAA Registered