CERTIFICATE OF ANALYSIS

PRODUCT NAME : CHROMOTROPIC ACID DISODIUM SALT AR

CAS No	**: 5808-22-0**	**Product code**	**: 22645**
Mol. Formula	**: $C_{10}H_6Na_2O_8S_2.2H_2O$**	**Batch No**	**: MCRT-30467**
Mol. WT	**: 400.29**	**Mfd.**	**: Feb. 2024**
Date of analysis	**: 23/02/24**	**Exp.**	**: Jan. 2029**

S.R	Test	Specification	Observation
1	**Description**	Greyish white to greyish brown or brown coloured powder.	Greyish brown coloured powder
2	**Assay**	98.5% min.	99.68%
3	**Sensitivity to Nitrate**	Passes test	Passes test
4	**Sensitivity to Formaldehyde**	Passes test	Passes test
5	**Sulphated ash**	35 – 36%	35.56%
6	**Sulphate (SO_4)**	0.002% max	<0.002%
7	**Water (Karl fischer)**	8.5 – 9.5%	8.63%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By] **[QC Incharge]**

CHEMIST
(Durvas)

HEAD-QUALITY ASSURANCE
(G.G.Salian)

Note: Computer generated image requires no sign

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)
Tel. : +91 22 4066 8111• Email: info@molychem.net • Web: www.molychem.net
Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)
Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015•ISO 14001: 2015•BS OHSAS 18001: 2007•WHO-GMP Certified•NSIC Registered•MSME Registered•CAA Registered