



## CERTIFICATE OF ANALYSIS

PRODUCT NAME : MINTROLEUM LR

CAS No : 110-54-3  
Mol. Formula : C<sub>6</sub>H<sub>14</sub>  
Mol. WT : 86.18  
Date of analysis : 22/02/24

Product code : 16295  
Batch No : MCR-30454  
Mfd. : Feb. 2024  
Exp. : Jan. 2029

S.R	Test	Specification	Observation
1	Description	A clear, colourless liquid. APHA not greater than 10 HU.	A clear, colourless liquid. APHA less than 10 HU.
2	Assay	85 % min	99.38%
3	Wt. per ml (at 20 <sup>0</sup> c)	0.660-0.680 g	0.670g
4	Non volatile matter	0.001 % max	0.0008%

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

CHEMIST  
(Asmita)

HEAD-QUALITY ASSURANCE  
(G.G.Salian)

**Note:** Computer generated image requires no sign.

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015•ISO 14001: 2015•BS OHSAS 18001: 2007•WHO-GMP Certified•NSIC Registered•MSME Registered•CAA Registered