



CERTIFICATE OF ANALYSIS

PRODUCT NAME : MOLYCLEAN MA 03 PHOSPHATE FREE

Date of analysis : 09/03/24
Mfd. : March 2024
Exp. : Feb. 2029

Product code : 16384
Batch No. : MCR-30570

S.R	Test	Specification	Observation
1	Description	A Clear colourless to slightly opale solution	A clear colourless solution.
2	Density(d20 ⁰ /4 ⁰)	1.058-1.066g	1.063g
3	Free Alkali (as NaOH)	1.5 - 2.5%	2.4%
4	Phosphate(PO ₄)	NMT 0.002%	0.001%
5	Nitrilotriacetic acid trisodium salt	6.5 - 8.5%	8.3%
6	pH (1% w/v aq.solution)	about 11	11.17

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

CHEMIST
(Aishwarya)

HEAD-QUALITY ASSURANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015•ISO 14001: 2015•BS OHSAS 18001: 2007•WHO-GMP Certified•NSIC Registered•MSME Registered•CAA Registered