



CERTIFICATE OF ANALYSIS

PRODUCT NAME : SILICA GEL 60-120 MESH

CAS No : 112926-00-8

Date of Analysis : 12/03/24

Mfd. : March 2024

Product code : 17860

Batch No : MCR-30593

Exp. : Feb. 2029

S. R	Test	Specification	Observation
1	Description	White powder	White powder
2	pH(10% aq. Slurry)	About 7	7.03
3	Percolation time	2 min.	3.2
4	Suitability(Brockman grade)	Should be min. grade II	grade II

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

**CHEMIST
(Ruchi)**

**HEAD-QUALITY ASSURANCE
(G.G.Salian)**

Note: Computer generated image requires no sign.

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015•ISO 14001: 2015•BS OHSAS 18001: 2007•WHO-GMP Certified•NSIC Registered•MSME Registered•CAA Registered