



## CERTIFICATE OF ANALYSIS

**PRODUCT NAME : LEISHMAN'S STAIN**

**CAS No : 12627-53-1**  
**Date Analysis : 14/03/24**  
**Mfd. : March 2024**

**Product code : 31860**  
**Batch No : MCR-30608**  
**Exp. : Feb. 2029**

S.R	Test	Specification	Observation
1	<b>Description</b>	Dark green or blackish green powder.	Dark green powder
2	<b>Specific Absorptivity A1% / 1 cm <math>\lambda_{max}</math> at 522 to 525 nm in methanol (on dry basis)</b>	min. 650	708.25
3	<b>Specific Absorptivity A 1%/1cm <math>\lambda_{max}</math> at 640 to 648 nm in methanol (on dry basis)</b>	min. 900	1155.56
4	<b>Suitability for use as stain</b>	Passes test	Passes test

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

**[Tested By]**

**[QC Incharge]**

**CHEMIST  
(Sonu)**

**HEAD-QUALITY ASSURANCE  
(G.G.Salian)**

**Note:** Computer generated image requires no sign.

**MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)**

**Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)**

**Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)**

**Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.**

**•ISO 9001:2015•ISO 14001: 2015•BS OHSAS 18001: 2007•WHO-GMP Certified•NSIC Registered•MSME Registered•CAA Registered**