



CERTIFICATE OF ANALYSIS

PRODUCT NAME : GLYCEROL AR

CAS No : 56-81-5

Mol. Formula : C₃H₈O₃

Mol. wt : 92.09

Date of analysis : 16/03/24

Product code : 23420

Batch No. : MCRT-30617

Mfd. : March 2024

Exp. : Feb. 2029

S.R	Test	Specification	Observation
1	Description	Clear colourless viscous liquid, Colour not more than 20 Hazen units.	Clear colourless viscous liquid, Colour less than 20 Hazen unit.
2	Assay (GC)	99 % min	99.88%
3	Wt. per ml (at 20 ⁰ c)	1.257-1.261g	1.259g
4	Refractive index	1.471 – 1.473	1.472
5	Reaction pH	6.0 -7.0	6.74
6	Sulphated ash	0.005% max	0.003%
7	Chloride (Cl)	0.0001% max	< 0.0001%
8	Sulphate (SO ₄)	0.0005% max	< 0.0005%
9	Ammonium (NH ₄)	0.0005% max	< 0.0005%
10	Arsenic (As)	0.00004% max	< 0.00004%
11	Copper (Cu)	0.00005% max	< 0.00005%
12	Iron (Fe)	0.00005% max	< 0.00005%
13	Lead (Pb)	0.00005% max	< 0.00005%
14	Ester of volatile acids (glycerol tributyrates)	Passes Test	Passes Test
15	Fatty acids	Passes Test	Passes Test
16	Organic impurities	Passes Test	Passes Test
17	Reducing substances	No reaction	No reaction
19	Sugar (glucose)	0.004% max	< 0.004%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

**CHEMIST
(Deepa)**

**HEAD-QUALITY ASSURANCE
(G.G.Salian)**

Note: Computer generated image requires no sign

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015•ISO 14001: 2015•BS OHSAS 18001: 2007•WHO-GMP Certified•NSIC Registered•MSME Registered•CAA Registered