



## CERTIFICATE OF ANALYSIS

**PRODUCT NAME : WATER DISTILLED**

**CAS No : 7732-18-5**

**Mol. Formula : H<sub>2</sub>O**

**Mol. WT : 18**

**Date of analysis : 28/03/24**

**Product code : 32229**

**Batch No : MCM-6008-01**

**Mfd. : March 2024**

**Exp. : Feb. 2027**

S. R	Test	Specification	Observation
1	<b>Description</b>	Clear colourless liquid	Clear colourless liquid
2	<b>pH</b>	5.5 – 7	6.92
3	<b>Density</b>	About 1.000	1.000
4	<b>Chloride (Cl)</b>	0.0001% max.	< 0.0001%
5	<b>Substance reducing KMnO<sub>4</sub></b>	0.00004% max.	< 0.00004%

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

**[Tested By]**

**[QC Incharge]**

**CHEMIST  
(Priti)**

**HEAD-QUALITY ASSURANCE  
(G.G.Salian)**

**Note:** Computer generated image requires no sign.

**MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)**

**Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)**

**Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)**

**Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.**

**•ISO 9001:2015•ISO 14001: 2015•BS OHSAS 18001: 2007•WHO-GMP Certified•NSIC Registered•MSME Registered•CAA Registered**