CERTIFICATE OF ANALYSIS

Date: 23/06/16

PRODUCT NAME : CHROMOTROPIC ACID DISODIUM SALT GR

CAS No	**: 5808-22-0**	**Product code**	**: 22645**
Mol. Formula	**: $C_{10}H_6Na_2O_8S_2.2H_2O$**	**Batch No**	**: MCR 11860**
Mol. WT	**: 400.29**	**Mfd.**	**: June 2016**
Exp.	**: May 2021**		

S. R	Test	Specification	Observation
1	**Assay**	98.5% min.	99.01%
2	**Sensitivity to Nitrate**	Passes test	Passes test
3	**Sensitivity to Formaldehyde**	Passes test	Passes test
4	**Sulphated ash**	35 – 36%	35.14%
5	**Sulphate (SO_4)**	0.002% max	<0.002%
6	**Water (Karl fischer)**	8.5 – 9.5%	8.86%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By] **[QC Incharge]**

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503