



CERTIFICATE OF ANALYSIS

PRODUCT NAME : CALCIUM CHLORIDE (FUSED)

CAS No	: 10043-52-4	Product code	: 13200
Mol. Formula	: CaCl₂	Batch No	: MCR-30738
Mol. WT	: 110.99	Mfd.	: April 2024
Date of analysis	: 12/04/24	Exp.	: March 2029

S.R	Test	Specification	Observation
1	Description	White deliquescent lumps	White deliquescent lumps.
2	Minimum Assay (ex Cl) (on dry basis)	98% w/w	98.52% w/w
3	Heavy metals (as Pb)	0.002 %max	<0.002 %
4	Loss on drying at 200°C	10 % max	9.12%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

**CHEMIST
(Swati)**

**HEAD-QUALITY ASSURANCE
(G.G.Salian)**

Note: Computer generated image requires no sign.

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015•ISO 14001: 2015•BS OHSAS 18001: 2007•WHO-GMP Certified•NSIC Registered•MSME Registered•CAA Registered