



CERTIFICATE OF ANALYSIS

PRODUCT NAME : CRESOL RED INDICATOR SOLUTION

CAS No. : 1733-12-6
Date of analysis : 11/04/24
Mfd. : April 2024

Product code : 31513
Batch No. : MCM 6224
Exp. : March 2027

S. R	Test	Specification	Observation
1	Description	Clear red colour solution	Clear red colour solution
2	Transition interval from pH 0.5 – 2.5	Pink brownish to yellow	Pink brownish to yellow
3	Transition interval from pH 6.5 – 8.5	Yellow to purple	Yellow to purple

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

CHEMIST
(Deepa)

HEAD-QUALITY ASSURANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015•ISO 14001: 2015•BS OHSAS 18001: 2007•WHO-GMP Certified•NSIC Registered•MSME Registered•CAA Registered