

CERTIFICATE OF ANALYSIS

PRODUCT NAME : TOLUENE RECTIFIED LR (SULPHUR FREE)

CAS No	: 108-88-3	Product code	: 19560
Mol. Formula	: C ₇ H ₈	Batch No	: MCR-30855
Mol. WT	: 92.14	Mfd.	: April 2024
Date Of Analysis	: 24/04/24	Exp.	: March 2029

S.R	Test	Specification	Observation
1	Description	A clear, colourless liquid, with characteristic odor, APHA not greater than 10 HU.	A clear, colourless liquid, with characteristic odor APHA less than 10 HU.
2	Assay (GC)	99 % min	99.93%
3	Refractive index at 20^oC	1.493-1.497	1.496
4	Wt. per ml at 20^oC	0.860-0.867 g	0.862g
5	Sulphur compound(CS₂)	0.0005% max	<0.0005%
6	Non volatile matter	0.005 % max	0.0001%
7	Water(by KF)	0.1 % max	0.02%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

**CHEMIST
(Jyoti)**

**HEAD-QUALITY ASSURANCE
(G.G.Salian)**

Note: Computer generated image requires no sign.

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.