



CERTIFICATE OF ANALYSIS

PRODUCT NAME : XYLENE RECTIFIED (SULPHUR FREE) LR

CAS No : 1330-20-7

Mol. Formula : C₈H₁₀

Mol. WT : 106.17

Date of analysis : 14/05/24

Product code : 19860

Batch No. : MCR-31014

Mfd. : May 2024

Exp. : April 2029

S.R	Test	Specification	Observation
1	Description	A clear colourless liquid.	A clear colourless liquid.
2	Assay (by GC)	97% min	99.20%
3	Solution in alcohol	Clear	Clear
4	Refractive index[n]²⁰_D	1.4950-1.4970	1.4960
5	Wt. per ml at 20°C	0.859-0.865 g	0.863g
6	Non volatile matter	0.01% max	0.001%
7	Sulfur compounds	Not detected	Not detected

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

**CHEMIST
(Asmita)**

**HEAD-QUALITY ASSURANCE
(G.G.Salian)**

Note: Computer generated image requires no sign.

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015•ISO 14001: 2015•BS OHSAS 18001: 2007•WHO-GMP Certified•NSIC Registered•MSME Registered•CAA Registered