



CERTIFICATE OF ANALYSIS

PRODUCT NAME : CALCIUM STEARATE LR

CAS No : 1592-23-0
Mol. Formula : $C_{36}H_{70}CaO_4$
Mol. WT : 607.04
Date of analysis : 31/05/24

Product code : 13346
Batch No. : MCR-31152
Mfd. : May 2024
Exp. : April 2029

S.R	Test	Specification	Observation
1	Description	A fine white to almost white powder.	A fine white powder.
2	Assay of CaO	7.0% min	9.13%
3	Ash	10% max	4.68%
4	Loss on drying (at 105° C, 3 hrs)	3% max	0.25%
5	Free acid (as Stearic acid)	0.3% max	<0.3%
6	Heavy metals (as Pb)	0.004% max	<0.004%
7	Chloride (Cl)	0.02% max	<0.02%
8	Sulphate (SO ₄)	0.1% max	<0.1%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

CHEMIST
(Swati)

[QC Incharge]

HEAD-QUALITY ASSURANCE
(G.G.Salián)

Note: Computer generated image requires no sign.

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • **Email:** info@molychem.net • **Web:** www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.